Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1		((instruct\$3 OR command\$3) near5 (fetch\$3 OR load\$3)) WITH (determin\$3 OR indicat\$3 OR establish\$3) WITH ((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (memory OR RAM OR SRAM OR SDRAM OR DRAM OR ROM)) WITH address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 12:24
L2	10	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (status OR flag\$1 OR indicator\$1)) WITH (general ADJ purpose ADJ register\$1 OR GPR\$1 OR general ADJ register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/12/12 12:24
L3	61	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near5 (status OR flag\$1 OR indicator\$1)) SAME (general ADJ purpose ADJ register\$1 OR GPR\$1 OR general ADJ register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	QR	OŅ	2007/12/12 12:25
L4	12	(context ADJ switch\$3) SAME stack\$1 SAME (RAM OR SDRAM OR SRAM OR DRAM) SAME interrupt\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 12:26
L5	391	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (memory OR RAM OR SRAM OR SDRAM OR DRAM)) WITH ((debug\$4 OR program\$4) near3 (key\$1 OR token\$1 OR passcode\$1 OR pin\$1 OR password\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 12:26
L6	1696	(711/163).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF.	2007/12/12 12:26
L7	6	L5 AND L6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 12:27
L8	4	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (memory OR RAM OR SRAM OR SDRAM OR DRAM)) WITH ((debug\$4 OR (error near3 (correct\$3 OR fix\$3))) near3 (key\$1 OR token\$1 OR passcode\$1 OR pin\$1 OR password\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 12:27

			· · · · · · · · · · · · · · · · · · ·	 	ı	
L9	28	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (memory OR RAM OR SRAM OR SDRAM OR DRAM)) WITH ((debug\$4 OR (error near3 (correct\$3 OR fix\$3))) WITH (key\$1 OR token\$1 OR passcode\$1 OR pin\$1 OR password\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 12:27
L10	38	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (memory OR RAM OR SRAM OR SDRAM OR DRAM)) SAME ((debug\$4 OR (error near3 (correct\$3 OR fix\$3))) WITH (key\$1 OR token\$1 OR passcode\$1 OR pin\$1 OR password\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 12:28
L11	12	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (status OR flag\$1 OR indicat\$3)) WITH (general ADJ purpose ADJ register\$1 OR GPR\$1 OR general ADJ register\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 12:28
L12	0	(arithmetic near2 (operation\$1 OR instruction\$1)) WITH ((status ADJ register\$1) near3 (unchang\$3)) WITH ((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near5 (requir\$3 OR enabl\$3 OR indicat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 12:28
L13	1	(arithmetic near5 (operation\$1 OR instruction\$1)) SAME (((status ADJ register\$1)) WITH ((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near5 (requir\$3 OR enabl\$3 OR indicat\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 12:28
L14	1	(((status ADJ register\$1) near5 (unchang\$3)) WITH ((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near5 (requir\$3 OR enabl\$3 OR indicat\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 12:28
L16		(((status ADJ register\$1) near5 (unchang\$3 OR original\$2 ADJ state\$1 OR uniform OR unvar\$4 OR constant OR unalter\$4 OR consistent\$2 OR changeless\$2)) SAME ((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near5 (requir\$3 OR enabl\$3 OR indicat\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/12/12 12:29

L17	. 23	(((register\$1) near5 (unchang\$3 OR original\$2 ADJ state\$1 OR uniform OR unvar\$4 OR constant OR unalter\$4 OR consistent\$2 OR changeless\$2)) SAME ((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near5 (requir\$3 OR enabl\$3 OR indicat\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON -	2007/12/12 12:32
L18	35	(((register\$1) near5 (unchang\$3 OR original\$2 ADJ state\$1 OR uniform OR unvar\$4 OR constant OR unalter\$4 OR consistent\$2 OR changeless\$2)) SAME ((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) WITH (requir\$3 OR enabl\$3 OR indicat\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 12:33
L19	538	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (memory OR RAM OR SRAM OR SDRAM OR DRAM)) WITH ((invalid\$6 OR corrupt\$3 OR void\$1) near5 (secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 12:33
L20	40	L19 AND L6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 12:33
L21	. 3	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (memory OR RAM OR SRAM OR SDRAM OR DRAM)) WITH ((invalid\$6 OR corrupt\$3 OR void\$1) near5 (secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near5 (status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 12:34
L23	97	((secur\$3 OR protect\$3 OR restrict\$3 OR prohibit\$3) near3 (memory OR RAM OR SRAM OR SDRAM OR DRAM)) WITH ((invalid\$6 OR corrupt\$3 OR void\$1) near5 (secur\$3 OR protect\$3)) WITH status	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/12 12:34
S38	214	(general ADJ purpose ADJ register\$1 OR GPR\$1) near5 (secur\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 16:24

S39	23	(US-20040187019-\$ or US-20030023871-\$ or US-20040088554-\$ or US-20040045003-\$).did. or (US-5237616-\$ or US-5987604-\$ or US-5999622-\$ or US-4295041-\$ or US-5414864-\$ or US-5684948-\$ or US-5680581-\$ or US-4930073-\$ or US-4519032-\$ or US-6732106-\$ or US-5249231-\$ or US-4523271-\$ or US-6101586-\$ or US-4523271-\$ or US-4713749-\$ or US-4999770-\$). did. or (EP-661642-\$).did. or (JP-2000347858-\$).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2007/12/11 14:05
S40	2	S38 AND S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 14:05
S41	40	((general ADJ purpose ADJ register\$1 OR GPR\$1) near5 (secur\$3)) AND (secur\$3 near3 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 16:30
S42	36	((general ADJ purpose ADJ register\$1 OR GPR\$1) near5 ((secur\$3) near5 (bit\$1 OR flag\$4 OR indicat\$3 OR tag\$4 OR mark\$3 OR identif\$4 OR value\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 16:37
S43	. 45	((general ADJ purpose ADJ register\$1 OR GPR\$1) WITH ((secur\$3) near5 (bit\$1 OR flag\$4 OR indicat\$3 OR tag\$4 OR mark\$3 OR identif\$4 OR value\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 16:38
S44	51	(((general near2 register\$1) OR GPR\$1) WITH ((secur\$3) near5 (bit\$1 OR flag\$4 OR indicat\$3 OR tag\$4 OR mark\$3 OR identif\$4 OR value\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 16:41
S45	1346	(((register\$1)) WITH ((secur\$3) near5 (bit\$1 OR flag\$4 OR indicat\$3 OR tag\$4 OR mark\$3 OR identif\$4 OR value\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 16:41
S46	628	(((register\$1)) near5 ((secur\$3) near3 (bit\$1 OR flag\$4 OR indicat\$3 OR tag\$4 OR mark\$3 OR identif\$4 OR value\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 16:41

S47	1696	(711/163).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/12/11 16:42
S48	32	S46 AND S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/11 16:43